

Patient Name:

Date:

Person Completing:

INPATIENT ADMISSION

Both A and B are required for Inpatient Admission for all ED patients:

A. Worsening symptoms and behaviors despite current treatment in IOP, PHP, or 2-3 times/week OP where IOP or PHP not geographically available *plus* likelihood that IP will result in improvement. [SI 4]

Exception: This criterion *not* necessary if patient is actively resistant to treatment, actively uncooperative and/or has severely impaired insight and does not recognize any need for treatment.

B. Supervision required during and after all meals and in evening to prevent restricting or excessive exercising/purging behaviors; for children/adolescents, family not able to supervise due to severe conflict or treatment resistance. [SI 5]

NOTES:

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

For **Anorexics**, patient must satisfy **C or D or E**.

C. Medical Complications, including vital sign abnormalities [SI 1]	
	Pulse rate (for adults <40; for children/adolescents <50 daytime, <45 nighttime)
	Orthostatic Pulse Change (>20)
	BP (for adults <90/60, for children; adolescents, <80/50)
	Orthostatic BP Change (>10-20)
	Temp (<96-97° F)
	Other

D. Anorexic Conditions [SI 2a]	
	BMI <15 <i>or</i>
	<75% of IBW <i>or</i>
	Rapid weight loss and active refusal to eat on a trajectory showing that this BMI or BWI will occur in a few days.

NOTES:

E. Severe ED and co-morbid psychiatric symptoms that would in themselves require inpatient treatment because [SI 3]		
--	--	--

YES	NO	Imminent suicidal risk or danger to others <i>or</i>
YES	NO	Presence of acute psychotic symptoms <i>or</i>
YES	NO	Grave Disability- severe and rapid decrease in level of functioning in several areas of life (work, family, ADLS, interpersonal) so that patient is unable to care for herself and therefore imminent danger to self or others <i>or</i>
YES	NO	Self-injury or uncontrolled risk taking or destructive behavior

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

For **Bulimics and ED NOS**, patient *must* satisfy **F** or **G**

F. Medical Complications, including vital sign abnormalities [SI 1]		
		Pulse rate (for adults <40; for children/adolescents <50 daytime, <45 nighttime)
		Orthostatic Pulse Change (>20)
		BP (for adults <90/60, for children, adolescents, <80/50)
		Orthostatic BP Change (>10-20)
		Temp (<96-97° F)
		Other
MUST ANSWER YES TO FOLLOWING TWO QUESTIONS [SI 2b]		
YES	NO	Can be safely treat in a psychiatric unit?
YES	NO	Does not require medical unit?

G. Severe ED and co-morbid psychiatric symptoms that would in themselves require inpatient treatment because [SI 3]		
YES	NO	Imminent suicidal risk or danger to others <i>or</i>
YES	NO	Presence of acute psychotic symptoms <i>or</i>
YES	NO	Grave Disability- severe and rapid decrease in level of functioning in several areas of life (work, family, ADLS, interpersonal) so that patient is unable to care for herself and therefore imminent danger to self or others <i>or</i>
YES	NO	Self-injury or uncontrolled risk taking or destructive behavior

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.