

Patient Name:

Date:

Person Completing:

INPATIENT CONTINUED STAY

Both A and B are required for Inpatient Continued Stay for all ED patients:

A. Worsening symptoms and behaviors despite current treatment in IOP, PHP, or 2-3 times/week OP where IOP or PHP not geographically available *plus* likelihood that IP will result in improvement. [SI 4]

Exception: This criterion *not* necessary if patient is actively resistant to treatment, actively uncooperative and/or has severely impaired insight and does not recognize any need for treatment.

B. Supervision required during and after all meals and in evening to prevent restricting or excessive exercising/purging behaviors; for children/adolescents, family not able to supervise due to severe conflict or treatment resistance. [SI 5]

NOTES:

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

For **Anorexics**, patient must satisfy **C or D or E**.

C. Medical Complications, including vital sign abnormalities [SI 1]	
	Pulse rate (for adults, <40; for children/adolescents, <50 daytime, <45 nighttime)
	Orthostatic Pulse Change (>20)
	BP (for adults, <90/60, for children, adolescents, <80/50)
	Orthostatic BP Change (>10-20)
	Temp (<96-97° F)
	Other

D. Anorexic Conditions [SI 2a]	
	BMI <15 <i>or</i>
	<75% of IBW <i>or</i>
	Rapid weight loss and active refusal to eat on a trajectory showing that this BMI or BWI will occur in a few days.

E. Severe ED and co-morbid psychiatric symptoms that would in themselves require inpatient treatment because [SI 3]		
YES	NO	Imminent suicidal risk or danger to others <i>or</i>
YES	NO	Presence of acute psychotic symptoms <i>or</i>
YES	NO	Grave Disability- severe and rapid decrease in level of functioning in several areas of life (work, family, ADLS, interpersonal) so that patient is unable to care for herself and therefore imminent danger to self or others <i>or</i>
YES	NO	Self-injury or uncontrolled risk taking or destructive behavior

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

For **Bulimics and ED NOS**, patient *must* satisfy **F or G**

F. Medical Complications, including vital sign abnormalities [SI 1]		
		Pulse rate (for adults, <40; for children/adolescents, <50 daytime, <45 nighttime)
		Orthostatic Pulse Change (>20)
		BP (for adults, <90/60, for children, adolescents, <80/50)
		Orthostatic BP Change (>10-20)
		Temp (<96-97° F)
		Other
MUST ANSWER YES TO FOLLOWING TWO QUESTIONS [SI 2b]		
YES	NO	Can be safely treat in a psychiatric unit?
YES	NO	Does not require medical unit?

G. Severe ED and co-morbid psychiatric symptoms that would in themselves require inpatient treatment because [SI 3]		
YES	NO	Imminent suicidal risk or danger to others <i>or</i>
YES	NO	Presence of acute psychotic symptoms <i>or</i>
YES	NO	Grave Disability- severe and rapid decrease in level of functioning in several areas of life (work, family, ADLS, interpersonal) so that patient is unable to care for herself and therefore imminent danger to self or others <i>or</i>
YES	NO	Self-injury or uncontrolled risk taking or destructive behavior

NOTES:

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

All patients must meet H, I & J, as applicable

<p>H. Patient is cooperative and responsive to treatment <i>or</i> treatment team has taken steps to treat involuntarily including treatment for medical conservatorship, medication hearing or involuntary hospitalization [CS 3]</p>	<p>I. For children or dependent adults, family is actively involved in treatment and responsive to treatment recommendations [CS 4]</p>	<p>J. For patients with chronic, persistent Eating Disorders where normal weight range or absence of binge/purge or non-purge bulimic symptoms has not been present for over one year, the patient is not at a level of control and stability consistent with their usual/baseline condition [CS 5]</p>
<p>NOTES:</p> <div data-bbox="107 701 548 1591" style="border: 1px solid black; height: 424px;"></div>	<p>NOTES:</p> <div data-bbox="591 701 1032 1591" style="border: 1px solid black; height: 424px;"></div>	<p>NOTES:</p> <div data-bbox="1084 701 1526 1591" style="border: 1px solid black; height: 424px;"></div>

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

All patients must also meet K or L

K. Documented Progress in Treatment including [CS 1]	
Weight Gain (note: for treatment of low body weight with medical instability complicated by need for involuntary treatment, very poor insight and motivation or active treatment resistance and poor family/social support, level of weight gain may need to <i>surpass</i> admission criteria and reach a level that is consistent with medical and physical indications of malnutrition having stabilized and weight/BMI in low normal range)	NOTES: <div style="border: 1px solid black; height: 150px;"></div>
Increasing adherence to meal plan	NOTES: <div style="border: 1px solid black; height: 100px;"></div>
Medical Stabilization	NOTES: <div style="border: 1px solid black; height: 100px;"></div>
Stabilization of acute psychiatric symptoms	NOTES: <div style="border: 1px solid black; height: 100px;"></div>
Cooperation with discharge planning	NOTES: <div style="border: 1px solid black; height: 100px;"></div>

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.

Patient Name:

Date:

Person Completing:

L. Lack of progress or persistent symptoms/behaviors [CS 2]

Document changes to the treatment plan to address treatment resistance that has a likelihood of achieving progress

NOTES:

[Empty box for notes]

This Guideline is effective January 1, 2011 and applies to policies issued by Anthem Blue Cross of California, Anthem Blue Cross and Blue Shield of Colorado, Anthem Blue Cross and Blue Shield of Connecticut, Blue Cross Blue Shield of Georgia, Anthem Blue Cross and Blue Shield of Indiana, Anthem Blue Cross and Blue Shield of Kentucky, Anthem Blue Cross and Blue Shield of Maine, Anthem Blue Cross and Blue Shield of Missouri, Anthem Blue Cross and Blue Shield of Nevada, Anthem Blue Cross and Blue Shield of New Hampshire, Empire Blue Cross and Blue Shield of New York, Anthem Blue Cross and Blue Shield of Ohio, Anthem Blue Cross and Blue Shield of Wisconsin.